


ONE STOP DRAINAGE SHOP™

EVERYTHING YOU NEED FOR DRAINAGE PROCEDURES.



ReSolve®

LOCKING DRAINAGE CATHETER

Resolve your toughest drainage procedures with Merit's superior locking drainage catheter. Designed for abscess, nephrostomy and miscellaneous drainage procedures, the ReSolve locking drainage catheter comes packaged with a metal stiffening cannula, a plastic stiffening cannula and a trocar stylet.

Large drainage holes to maximize drainage.

Tapered tip and hydrophilic coating (distal 20cm) for a smooth introduction and less patient discomfort.

Color coded hubs that match standard French sizing charts for easy identification.

Flexible polyurethane material to prevent kinking and ensure excellent catheter rebound.

Pigtail straightener allows for easier insertion of stiffening cannulas

Repositioning Tool (included) for unlocking and repositioning the catheter at any time.

Highly flexible radiopaque marker band, integral to the catheter shaft, forged from platinum.

Catalog Number	French Size	Working Length	Max Guide Wire	Hub Color	Drainage Holes
----------------	-------------	----------------	----------------	-----------	----------------

Non-Marker Band

RLC-6-038	6.5F	25cm	0.038" (0.97mm)	Green	7
RLC-8-038	8.5F	25cm	0.038" (0.97mm)	Blue	8
RLC-10-038	10F	25cm	0.038" (0.97mm)	Purple	8
RLC-12-038	12F	25cm	0.038" (0.97mm)	Yellow	8
RLC-14-038	14F	25cm	0.038" (0.97mm)	Orange	9

Marker Band

RLC-6-038MB	6.5F	25cm	0.038" (0.97mm)	Green	7
RLC-8-038MB	8.5F	25cm	0.038" (0.97mm)	Blue	8
RLC-10-038MB	10F	25cm	0.038" (0.97mm)	Purple	8
RLC-12-038MB	12F	25cm	0.038" (0.97mm)	Yellow	8
RLC-14-038MB	14F	25cm	0.038" (0.97mm)	Orange	9

Packaged 5 per box

RC-RT00L Repositioning Tool
Packaged 15 per box





DRAINAGE CATHETER TRAYS

Conveniently containing the ReSolve drainage catheter, MAK-NV, drainage bag, and dilators, the ReSolve trays offer all you need from stick to fixation.

Catalog Number	French Size	20cm Dilator French Size	Marker Band	Securement Device
RLC-NV-6	6.5F	-	no	-
RLC-NV-8	8.5F	8F	no	-
RLC-NV-10	10F	8, 10F	no	-
RLC-NV-12	12F	8, 10, 12F	no	-
RLC-NV-14	14F	8, 10, 12, 14F	no	-
RLCMB-NV-6	6.5F	-	yes	-
RLCMB-NV-8	8.5F	8F	yes	-
RLCMB-NV-10	10F	8, 10F	yes	-
RLCMB-NV-12	12F	8, 10, 12F	yes	-
RLCMB-NV-14	14F	8, 10, 12, 14F	yes	-
RLC-NV-6-SFX	6.5F	-	no	StayFIX® (small)
RLC-NV-8-SFX	8.5F	8F	no	StayFIX (small)
RLC-NV-10-SFX	10F	8, 10F	no	StayFIX (small)
RLC-NV-12-SFX	12F	8, 10, 12F	no	StayFIX (small)
RLC-NV-14-SFX	14F	8, 10, 12, 14F	no	StayFIX (large)
RLCMB-NV-6-SFX	6.5F	-	yes	StayFIX (small)
RLCMB-NV-8-SFX	8.5F	8F	yes	StayFIX (small)
RLCMB-NV-10-SFX	10F	8, 10F	yes	StayFIX (small)
RLCMB-NV-12-SFX	12F	8, 10, 12F	yes	StayFIX (small)
RLCMB-NV-14-SFX	14F	8, 10, 12, 14F	yes	StayFIX (large)
RLC-NV-6-REV	6.5F	-	no	Revolution™
RLC-NV-8-REV	8.5F	8F	no	Revolution
RLC-NV-10-REV	10F	8, 10F	no	Revolution
RLC-NV-12-REV	12F	8, 10, 12F	no	Revolution
RLC-NV-14-REV	14F	8, 10, 12, 14F	no	Revolution
RLCMB-NV-6-REV	6.5F	-	yes	Revolution
RLCMB-NV-8-REV	8.5F	8F	yes	Revolution
RLCMB-NV-10-REV	10F	8, 10F	yes	Revolution
RLCMB-NV-12-REV	12F	8, 10, 12F	yes	Revolution
RLCMB-NV-14-REV	14F	8, 10, 12, 14F	yes	Revolution

Packaged as individual units

All kits contain ReSolve Locking Drainage Catheter, MAK-NV-001, and FZ624. Items in **BOLD** are ready for immediate delivery. Allow 6-8 weeks for all others.



LOCKING DRAINAGE CATHETER WITH SECUREMENT DEVICE

*Having your drainage catheter and securement device
conveniently packaged together saves both time and
inventory requirements.*

Catalog Number	French Size	Working Length	Marker Band	Securement Device
Non-Marker Band				
RLC-6-REV	6.5F	25cm	no	Revolution™
RLC-6-SFX	6.5F	25cm	no	StayFIX® (small)
RLC-8-REV	8.5F	25cm	no	Revolution
RLC-8-SFX	8.5F	25cm	no	StayFIX (small)
RLC-10-REV	10F	25cm	no	Revolution
RLC-10-SFX	10F	25cm	no	StayFIX (small)
RLC-12-REV	12F	25cm	no	Revolution
RLC-12-SFX	12F	25cm	no	StayFIX (small)
RLC-14-REV	14F	25cm	no	Revolution
RLC-14-SFX	14F	25cm	no	StayFIX (large)
Marker Band				
RLCMB-6-REV	6.5F	25cm	yes	Revolution
RLCMB-6-SFX	6.5F	25cm	yes	StayFIX (small)
RLCMB-8-REV	8.5F	25cm	yes	Revolution
RLCMB-8-SFX	8.5F	25cm	yes	StayFIX (small)
RLCMB-10-REV	10F	25cm	yes	Revolution
RLCMB-10-SFX	10F	25cm	yes	StayFIX (small)
RLCMB-12-REV	12F	25cm	yes	Revolution
RLCMB-12-SFX	12F	25cm	yes	StayFIX (small)
RLCMB-14-REV	14F	25cm	yes	Revolution
RLCMB-14-SFX	14F	25cm	yes	StayFIX (large)

RC-RT00L Repositioning Tool
Packaged 15 per box



ReSolve®

NON-LOCKING DRAINAGE CATHETER

Resolve your toughest temporary drainage procedures with Merit Medical's non-locking drainage catheter. Designed for temporary drainage of abscess, nephrostomy and miscellaneous drainage procedures, the ReSolve comes in a J or straight tip and is packaged with a metal stiffening cannula and a trocar stylet.

Large drainage holes to maximize drainage.

Tapered tip and hydrophilic coating (distal 10cm) for a smooth introduction and less patient discomfort.

Color-coded hubs that match standard French sizing charts for easy identification.

Flexible polyurethane material to prevent kinking and ensure excellent catheter rebound.



Catalog Number	French Size	Length	Max Guide Wire	Tip Config.	Drainage Holes
RNL-6-038S	6.5F	20cm	0.038" (0.97mm)	Straight	4
RNL-8-038S	8.5F	25cm	0.038" (0.97mm)	Straight	4
RNL-10-038S	10F	25cm	0.038" (0.97mm)	Straight	4
RNL-12-038S	12F	25cm	0.038" (0.97mm)	Straight	5
RNL-6-038J	6.5F	20cm	0.038" (0.97mm)	J Curve	4
RNL-8-038J	8.5F	25cm	0.038" (0.97mm)	J Curve	4
RNL-10-038J	10F	25cm	0.038" (0.97mm)	J Curve	4
RNL-12-038J	12F	25cm	0.038" (0.97mm)	J Curve	5

Packaged 5 per box



VALVED ONE-STEP CENTESIS CATHETER

The self closing valve prevents air infiltration and fluid leak.

When activated with a luer, the valve fully opens to allow maximum flow.

Self closing valve prevents air infiltration and fluid leak.

Four large holes spiral around catheter to maximize drainage.

Tapered tip for a smooth introduction and less patient discomfort.

Echo-enhanced needle for increased needle visibility.

Bevel indicator gives a tactile and visual reference for bevel orientation.

Clear hub increases flashback visibility with ergonomic design for easy gripping and handling.



Catalog Number	French Size	Length	Introducer Needle	Drainage Holes
Slip Fit				
OSC-4F-7T	4F	7cm	20g	4
OSC-4F-10T	4F	10cm	20g	4
OSC-5F-7T	5F	7cm	19g	4
OSC-5F-10T	5F	10cm	19g	4
OSC-5F-15T	5F	15cm	19g	4
Fixed Luer				
OSC-4F-7LT	4F	7cm	20g	4
OSC-4F-10LT	4F	10cm	20g	4
OSC-5F-7LT	5F	7cm	19g	4
OSC-5F-10LT	5F	10cm	19g	4
OSC-5F-15LT	5F	15cm	19g	4

Packaged 5 per box

ONE-STEP CENTESIS CATHETER

For ease of insertion, the One-Step centesis catheter boasts a smooth transition for decreased resistance and an echo-enhanced needle for more accurate placement.

Available with luer locking or slip fit needle.

Four large holes spiral around catheter to maximize drainage.

Tapered tip for a smooth introduction and less patient discomfort.

FEP material resists buckling for a smooth insertion.

Unique hub design for easy gripping and handling during procedure.

Echo-enhanced needle for increased needle visibility.

Vent plug lets air exit for added physician safety.



Catalog Number	French Size	Length	Introducer Needle	Drainage Holes
Slip Fit				
OSC-4F-7S	4F	7cm	20g	4
OSC-4F-10S	4F	10cm	20g	4
OSC-5F-7S	5F	7cm	19g	4
OSC-5F-10S	5F	10cm	19g	4
OSC-5F-15S	5F	15cm	19g	4
Fixed Luer				
OSC-4F-7L	4F	7cm	20g	4
OSC-4F-10L	4F	10cm	20g	4
OSC-5F-7L	5F	7cm	19g	4
OSC-5F-10L	5F	10cm	19g	4
OSC-5F-15L	5F	15cm	19g	4
Fixed Luer No Side Holes				
OSC-4F-7LNH	4F	7cm	20g	-
OSC-4F-10LNH	4F	10cm	20g	-
OSC-5F-7LNH	5F	7cm	19g	-
OSC-5F-10LNH	5F	10cm	19g	-
OSC-5F-15LNH	5F	15cm	19g	-

Packaged 5 per box



MINI ACCESS KIT NON-VASCULAR

Excellent transitions for a smooth introduction.

Radiopaque marker tip clearly shows tip of introducer.

Superior tip design decreases buckling and introducer peel back during insertion.

Echo-enhanced needle increases visualization for ultrasound placement.

4F introducer ID allows 0.018" guide wire to be left in place for safety during larger wire placement.



- | | |
|--------------------|---|
| MAK-NV-001 | 0.038" (0.97mm) X 150cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm stainless steel guide wire with platinum tip
6F (2.0mm) X 20cm co-axial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with trocar stylet |
| MAK-NV-002 | 0.038" (0.97mm) X 150cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm nitinol guide wire with platinum tip
6F (2.0mm) X 20cm co-axial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with trocar stylet |
| MAK-NV-003 | 0.018" (0.46mm) X 60cm stainless steel guide wire with platinum tip
6F (2.0mm) X 20cm co-axial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with trocar stylet |
| MAK-NV-004 | 0.018" (0.46mm) X 60cm nitinol guide wire with platinum tip
6F (2.0mm) X 20cm co-axial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with trocar stylet |
| MAK-NV-005* | 21g X 15cm introducer needle with trocar stylet |
| MAK-NV-006* | 6F (2.0mm) X 20cm co-axial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with trocar stylet |
| MAK-NV-007* | 6F (2.0mm) X 20cm co-axial introducer with dilator and stiffening cannula |
| MAK-NV-008 | 0.038" (0.97mm) X 80cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm stainless steel guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with trocar stylet |
| MAK-NV-009 | 0.038" (0.97mm) X 80cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm nitinol guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with trocar stylet |



- MAK-NV-010** 0.038" (0.97mm) X 150cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm stainless steel guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with Chiba stylet
- MAK-NV-011** 0.038" (0.97mm) X 150cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm nitinol guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with Chiba stylet
- MAK-NV-012** 0.018" (0.46mm) X 60cm stainless steel guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with Chiba stylet
- MAK-NV-013** 0.018" (0.46mm) X 60cm nitinol guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with Chiba stylet
- MAK-NV-014*** 21g X 15cm introducer needle with Chiba stylet
- MAK-NV-015*** 6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with Chiba stylet
- MAK-NV-016** 0.038" (0.97mm) X 80cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm stainless steel guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with Chiba stylet
- MAK-NV-017** 0.038" (0.97mm) X 80cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm nitinol guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 15cm introducer needle with Chiba stylet
- MAK-NV-018** 0.038" (0.97mm) X 150cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm stainless steel guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 20cm introducer needle with trocar stylet
- MAK-NV-019** 0.038" (0.97mm) X 150cm double ended heavy duty 3mm J guide wire
0.018" (0.46mm) X 60cm nitinol guide wire with platinum tip
6F (2.0mm) X 20cm coaxial introducer with dilator and stiffening cannula
21g X 20cm introducer needle with trocar stylet
- MAK-NV-020*** 21g X 20cm introducer needle with trocar stylet
- MAK-NV-021*** 21g X 20cm introducer needle with Chiba stylet
- MAK005-60** 0.018" (0.46mm) X 60cm stainless steel guide wire with platinum tip
- MAK001N-60** 0.018" (0.46mm) X 60cm nitinol guide wire with platinum tip

Packaged 10 per box *Packaged 5 per box



CATHETER SECUREMENT DEVICE

A revolutionary new device that saves time, provides convenience and enhances compliance with safety regulations by securing catheters with a needleless procedure.

Secures non-vascular catheters from 6F-24F.

Central adhesive hydrocolloid is skin-friendly, absorbent around puncture site, and conforms well to body anatomy.

Provides safe and secure fixation for up to 7 days.

Included shower cap, covers insertion site for added protection while showering.

Catalog Number

CFG624

Packaged 25 per box

StayFIX[®]

FIXATION DEVICE FOR PERCUTANEOUS CATHETERS*

Special StayFIX fixation device design secures catheters in place without the use of sutures, reducing the exposure to sharps and sharps-related accidents.

Secures non-vascular catheters from 5F - 22F.

Provides safe and secure fixation for up to 7 days.

Catalog Number

680ME 5F-14F - Packaged 25 per box

685ME 14F-22F - Packaged 20 per box

* Distribution agreement limits sales to selected countries (contact customer service).



Drainage Bags

These bags come with a VELCRO® brand strap and are designed with patient mobility and comfort in mind.

- Adjustable length tubing to fit a variety of patients
- Cloth backing for patient comfort
- Twist valve for easy disposal of fluids
- Easy to read markings to identify fluid volume
- Internal anti-reflux valve prevents backflow

MDD600 - 600ml bag

FZ624 - 600ml cloth backed bag

Packaged 20 per box

K10-03450 - MDD600 drainage bag with Jackson-Pratt

100ml bulb designed for vacuum drainage

Packaged 10 per box

Abscess Drainage Kit

K10-00230A - OSHA compliant closed waste system with 1400ml MDD bag, tubing and CRV Valve

Designed for quick and safe drainage elimination

Packaged 15 per box

Drainage Connector Tubing

K10-04129 - 30cm connecting tubing

K10-04130 - 42cm connecting tubing

K10-04131 - 30cm connecting tubing with one-way-stopcock

K10-04132 - 42cm connecting tubing with one-way-stopcock

Packaged 25 per box

Drainage Tubing

FAS5248 - 48" large bore tubing with pinch clamp and non-vented spike

Packaged 25 per box

K10-04750 - 48" large bore tubing with roller clamp and 16g X 1.5" (38.1mm) needle

Packaged 15 per box

Valve Adapter

VA-40 - Designed to be backloaded over a guide wire and attached to the MAK-NV to facilitate aspiration or infusion. Accepts up to a 4F device

Packaged 10 per box

Large Bore Stopcocks

Clear body with large lumen designed to increase flow rate.

L3SNC - 3-way large bore stopcock

L4SNC - 4-way large bore stopcock

Packaged 50 per box

VacLok® Syringes

Patented clear body design with multiple locking positions. Maintains negative pressure while reducing physician strain.

VAC120 - 20ml VacLok Syringe

VAC130 - 30ml VacLok Syringe

Packaged 20 per box

VAC110 - 10ml VacLok Syringe

VAC160 - 60ml VacLok Syringe

Packaged 25 per box

VELCRO® - is a registered trademark of Velcro Industries B.V.

WASTE BASINS AND GUIDE WIRES

BackStop®

BACKSTOP MBS100 AND BACKSTOP PLUS™ MBSP100

The OSHA compliant BackStop and BackStop Plus waste basins are designed with particulate-free materials, a seal tight lid and a 500ml fluid capacity. Designed for quick and safe drainage disposal. Packaged 10 per box

MiniStop®

MINISTOP MMS100 AND MINISTOP PLUS MMSP100

The OSHA compliant MiniStop and MiniStop Plus waste basins are designed with particulate-free materials, a seal tight lid and a 100ml fluid capacity. Designed for smaller drainage procedures. Packaged 20 per box

DugOut®

DUGOUT DUG100

The OSHA compliant DugOut waste basin is designed with particulate-free materials, a secondary compartment for storage of ancillary products or saline and a seal tight lid with a 1000ml fluid capacity. Designed for quick and safe disposal of the largest volume drainage procedures. Packaged 6 per box

GUIDE WIRES

InQwire® guide wires are pre-coated, creating a smooth consistent surface for drainage catheters to track over. 80cm length reduces excess wire and risk for contamination.

CATALOG NUMBERS

IQ35F80B Bentson 0.035"(0.89mm)

6680-61 Super Stiff 0.035"(0.89mm)

IQ35F80J1O5RS Rosen (1.5mm J) 0.035"(0.89mm)

IQ35F80J3 Rosen (3mm J-tip) 0.035"(0.89mm)

[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

NOTES

U.S Patent Nos. 7,641,630, 7,174,928, 7,665,491, 5,685,864, 7,458,463, 7,520,869, 7,470,256, 7,540,857, 7,544,187, 7,547,296, 5,483,999, 6,719,017, D502,993,

European Patent EP1713529 with Other U.S. and Foreign Patents Pending



Merit Medical Systems, Inc. • 1600 West Merit Parkway • South Jordan, Utah 84095 • 1-801-253-1600 • 1-800-35-MERIT

www.merit.com

Merit Medical EUROPE, AFRICA AND THE MIDDLE EAST (EMEA) • Amerikalaan 42, 6199 AE Maastricht-Airport • The Netherlands • Tel: +31 43 358 82 40

Merit Medical Ireland Ltd. • Parkmore Business Park West • Galway, Ireland • +353 (0) 91 703 733

Free phone for specific country:

Austria 0800 295374 • Belgium 0800 729 06 (Dutch) 0800 731 72 (French) • Denmark 80 88 00 24 • France 0800 91 60 30 Germany 0800 182 08 71

Ireland (republic) 1800 553 163 • Luxembourg 8002 25 22 • Netherlands 0800 022 8184 • Sweden 020 79 24 45 • UK 0800 973 115 • Finland 00800 6374 8633

400797001/D ID 070511

